Table 3-6
Inventory of Bird Observations in the Newark Bay Study Ar

	Observed Locations						
	Passaic	Hackensack					
Species	River	River	Newark Bay	Arthur Kill	Kill van Kull		
Loons				·			
Loon, common	_	✓	✓	✓	_		
Loon, red-throated		✓		✓			
Grebes							
Grebe, eared	_	_	_	✓	_		
Grebe, horned	_	✓	-	✓	-		
Grebe, pied-billed	_	✓		✓			
Pelicaniformes				-			
Cormorant, double-crested	✓	√	✓	✓	✓		
Cormorant, great	_	_		√	-		
Pelican, brown	_	_	_	V			
Wading Birds			·				
Bittern, American		√	_	V	_		
Bittern, least	_	√		 			
Egret, cattle		1	/	1	/		
Egret, great		<u> </u>	· ·	· ·	· ·		
Egret, snowy	-	<u> </u>	· ·	· /	· /		
Heron, black-crowned night	· ·	· ·	· ·	<u> </u>	· /		
Heron, great blue	-	· ·		✓			
	-	 		V V			
Heron, green		\ \ \ \ \	V /	V ✓	· ·		
Heron, little blue		· ·			· ·		
Heron, tricolored			√	√	V		
Heron, yellow-crowned night		V	√	√			
Ibis, glossy		✓	│ ✓	✓	✓		
Swans, Geese and Ducks			T	T	T		
Brant		<u> </u>	√	√			
Bufflehead		V		√	_		
Canvasback		√	√	✓	-		
Duck, American black	√	✓		√	✓		
Duck, fulvous whistling		√					
Duck, long-tailed		√	_	✓			
Duck, ring-necked		✓		_			
Duck, ruddy		✓	_	✓	-		
Duck, wood	✓	✓		✓			
Gadwall	_	√	✓	✓	√		
Goldeneye, common	_	√	-	✓	_		
Goose, Canada	✓	✓	✓	✓	✓		
Goose, snow	_	√	-	-	_		
Mallard	√	√	√	√	√		
Merganser, common	√			√			
Merganser, hooded	_	/	_	/			
Merganser, red-breasted		-	 	 			
Northern pintail	_	1	_				
Northern shoveler		· /		· ·			
Redhead		· ·		· ·			
		· ·					
Scaup, greater		 	 	V V			
Scaup, lesser			_	\ \ \ \ \	-		
Scoter, black			_	✓ ✓			
Scoter, surf			_		-		
Scoter, white-winged		√		√	<u> </u>		

ea

Residency
R
R
M
M
M
Р
<u>Р</u> Р
P
P
Р
Р
P P
P
P
Р
U
U
U
U
U
U
U
U
U
U
U U U
U
U
U
U
U
U
U
U U U
U
U

			T		
Swan, mute	_	V			
Swan, tundra		√	-		
Teal, blue-winged		√	_	√	
Teal, green-winged	-	✓	-	✓	
Wigeon, American		_	_	✓	
Diurnal Raptors					
American kestrel	✓	√	✓	√	-
Bald eagle		√	✓		
Falcon, peregrine	✓	✓	✓	✓	
Hawk, broad-winged		√	✓	✓	_
Hawk, Cooper's	-	√	✓	✓	
Hawk, red-shouldered		√	✓	✓	
Hawk, red-tailed	√	✓	✓	✓	_
Hawk, rough-legged	_	√		✓	_
Hawk, sharp-shinned		√	√	√	
Merlin		√	√	√	
Northern goshawk		1			
Northern harrier		1	√	√	✓
Osprey	√	√	√	√	
Vulture, turkey	_	1	√	√	_
Upland Game Birds					
Pheasant, ring-necked	_	√		√	√
Gruiformes		1			<u> </u>
American coot	_	V	_	√	_
Common moorhen	_	/	_	√	√
Rail, clapper	_	/		√	_
Rail, king		/			
Rail, Virginia		_		─	√
Rail, yellow	_	_			
Sora		/		~~~~~	
Shorebirds			<u> </u>		
American avocet	T _	1			
American oystercatcher			√		
American woodcock		_	·		
Common snipe			_	· · ·	
Dunlin	_	· /	_		_
Dowitcher, long-billed		•	-		
Dowitcher, short-billed		· ·			
Godwit, Hudsonian		· ·			
Godwit, marbled		· ·			
Killdeer	-	· ·	_	<u> </u>	_
Phalarope, red		· ·	_		-
		V	_		
Phalarope, Wilson's		V			-
Plover, American golden		V			
Plover, black-bellied		✓	_	√	
Plover, semipalmated	-	<u> </u>	_		-
Red knot		V		√	
Ruff	_	√	_		-
Sanderling		√	_	√	-
Sandpiper, Baird's		√		-	_

U
U
U
U U U

F		•	,		
Sandpiper, buff-breasted		√			
Sandpiper, curlew		√			
Sandpiper, least	✓	√	_	√	
Sandpiper, pectoral		✓	_	✓	
Sandpiper, purple	_	_	_	✓	-
Sandpiper, semipalmated	_	✓	_	✓	
Sandpiper, solitary	_	✓	_	✓	
Sandpiper, spotted	✓	√	✓	✓	✓
Sandpiper, stilt	-	√	_		
Sandpiper, upland	_	√	✓	_	_
Sandpiper, western	_	√	_		_
Sandpiper, white-rumped	_	√	_		_
Stilt, black-necked	_	√	_		_
Turnstone, ruddy	_	√	_	✓	_
Whimbrel	_	√	_	√	_
Willet	_	√	_	√	_
Yellowlegs, greater	✓	√	_	√	_
Yellowlegs, lesser	✓	√	-		
Gulls, Terns and Skimmers					..
Gull, great black-backed	✓	√	✓	✓	✓
Gull, Bonaparte's		√	_	√	
Gull, common black-headed	✓	√	_	✓	_
Gull, glaucus		√	_	✓	
Gull, herring	✓	√	✓	✓	✓
Gull, Iceland	_	√	_	_	_
Gull, laughing	√	√	✓	✓	_
Gull, little		_	_	✓	_
Gull, ring-billed	✓	✓	✓	√	
Skimmer, black		√		2000	
Tern, black		√	_	√	
Tern, Caspian	_	√	_	✓	
Tern, common		√	✓	✓	
Tern, Forster's	_	√	_	✓	
Tern, gull-billed		✓	_	✓	
Tern, least	_	√	✓	√	-
Tern, roseate	_	/	_	√	
Tern, royal	_	√	_		_
Pigeons and Doves			·		
Dove, mourning	√	√	✓	√	
Dove, rock	√	√	✓	√	✓
Cuckoos and their Allies					
Cuckoo, black-billed		√		√	
Cuckoo, yellow-billed		1	√	√	
h		A			


_
_
_
-
-
_
_
-
-
-
_
-
_
_
-
-
_
_
_
_
_
_
_
_
_
_
_
_
_
_
-
-
-
-
-

Out					
Owls		T	T	T	T
Owl, barn	_	√		√	
Owl, barred			_	✓	_
Owl, eastern-screech		V	_		
Owl, great horned	_	✓		√	_
Owl, long-eared		√	_		-
Owl, short-eared	_	√	_	√	-
Owl, snowy	_	√	-		
Goatsuckers and Swifts				·	
Chimney swift		✓	_	√	_
Nighthawk, common		✓	_	✓	_
Hummingbirds					
Hummingbird, ruby-throated		✓	_	✓	
Kingfishers					
Kingfisher, belted	✓	✓	✓	✓	✓
Woodpeckers					
Flicker, northern	-	√	-	✓	✓
Sapsucker, yellow-bellied	_	√	_	✓	✓
Woodpecker, hairy	_	✓	_	_	-
Woodpecker, red-bellied	_	_	_	✓	_
Woodpecker, downy	_	√	✓	✓	✓
Woodpecker, red-headed	_	✓	_	-	_
Tyrant Flycatchers					•
Eastern wood-pewee	_	√	_	✓	_
Flycatcher, great-crested	_	✓	_	✓	_
Flycatcher, least	_	✓	_	✓	-
Flycatcher, olive-sided	_	_	_	✓	
Flycatcher, willow	_	_	_	✓	
Flycatcher, yellow-bellied	_	✓		✓	_
Kingbird, eastern	√	√	_	√	
Kingbird, western	_	√	✓		
Phoebe, eastern	_	√	_	✓	✓
Wood-pewee, eastern	_	_	_	✓	_
Shrikes and Vireos	1		<u> </u>		
Shrike, northern	_	√	_	_	
Vireo, red-eyed	_	√	_	√	✓
Vireo, solitary	_	√	_	√	_
Vireo, warbling	_	√	√	√	_
Vireo, white-eyed	_	√	_	_	_
Vireo, yellow-throated		✓			_
Jays, Crows and their Allies			-1		
Crow, American	√	/	√	V	_
Crow, fish		 	√	✓	_
Jay, blue	√	 		✓	_
Larks				4	
Lark, horned	_	\	_		_
		1		L	L

Swallows					
	<u> </u>				T
Purple martin	_				-
Swallow, bank		V	_	√	_
Swallow, barn	√	√	✓	√	-
Swallow, cliff		✓			
Swallow, northern rough-winged	√	√		√	
Swallow, tree		√	✓	✓	<u> </u>
Chickadees and their Allies		,	T		T
Chickadee, black-capped		√	_	√	_
Titmouse, tufted		✓		✓	
Nuthatches and Creepers					T
Brown creeper	_	√		✓	
Nuthatch, red-breasted		✓		✓	
Nuthatch, white-breasted		✓		✓	
Wrens					
Wren, Carolina	_	✓	✓	✓	
Wren, house	-	√	✓	✓	✓
Wren, marsh	_	✓	-	✓	
Wren, sedge		✓			
Wren, winter	_	√	_	√	_
Old World Warblers, Thrushes and	their Allies	4			
Robin, American	_	√		√	√
Gnatcatcher, blue-gray	_	√	_	√	
Kinglet, golden-crowned	_	√	_	√	√
Kinglet, ruby-crowned		√		√	
Thrush, gray-cheeked	_	√	/	√	_
Thrush, hermit	_	-		√	/
Thrush, Swainson's			-	<u> </u>	<u> </u>
Thrush, wood	_	· /	_	✓	_
Veery					
Mimids					
Brown thrasher	T	 	T	√	
Catbird, gray		· ·	_	, 	· ·
Mockingbird, northern	+	·	 	, /	_
Starlings and Minas	<u> </u>	<u> </u>		<u> </u>	
		I	✓	√	T
Starling, European Wagtails and Pipits		<u> </u>			
			T	<u> </u>	T
American pipit Waxwings					
		T 🗸	T	✓	T 🗸
Waxwing, cedar					
Wood-Warblers	T			√	
American redstart			l	***************************************	
Chat, yellow-breasted		-	√		
Northern parula		/		√	
Ovenbird		√		√	/
Warbler, bay-breasted		√		√	
Warbler, black-and-white		√	✓	√	✓
Warbler, blackburnian		✓	_	√	<u> </u>
Warbler, blackpoll	_	√	_	✓	√
Warbler, black-throated blue	_	√	√	✓	✓
Warbler, black-throated green		✓		✓	

_
_
_
_
_
_

NAZ antalana tahan antanan d	I	/		√	√
Warbler, blue-winged				•	
Warbler, Canada		√	-	√	
Warbler, Cape May	-	~		√	_
Warbler, cerulean			✓	√	
Warbler, chestnut-sided	-	/		√	✓
Warbler, Connecticut	_	✓	√	√	✓
Warbler, golden-winged	_		√		
Warbler, hooded	_	_	✓	√	
Warbler, Kentucky	_			√	
Warbler, magnolia		V	√	√	√
Warbler, mourning		_	✓	✓	
Warbler, Nashville		V		√	√
Warbler, orange-crowned	-	√	-	_	-
Warbler, palm		<u> </u>	****	<u> </u>	<u> </u>
Warbler, pine		_	✓		
Warbler, prairie		✓		√	
Warbler, prothonotary	_	_	_	✓	
Warbler, Tennessee		✓	_	√	_
Warbler, Wilson's		√			✓
Warbler, worm-eating	_		✓	√	_
Warbler, yellow		✓	✓	✓	
Warbler, yellow-rumped		✓	-	✓	✓
Warbler, yellow-throated			✓	✓	
Waterthrush, Louisiana	_	√	_	✓	-
Waterthrush, northern	_	✓	✓	✓	✓
Yellowthroat, common		✓		✓	✓
Tanagers, Cardinals and their Allies					900000000000000000000000000000000000000
Bunting, indigo		√	_	✓	-
Dickcissel		✓			
Grosbeak, blue		✓	_	-	
Grosbeak, rose-breasted		√	_	✓	
Northern cardinal	✓	√	-	✓	
Tanager, scarlet	-	✓	_	✓	
Emberizine Sparrows and their Allie	S				
Bunting, snow		√			-
Junco, dark-eyed		√		✓	✓
Longspur, lapland	-	✓	-		_
Sparrow, American tree	✓	√	_	✓	
Sparrow, chipping	_	√	_	✓	-
Sparrow, field	_	√	_	\	✓
Sparrow, fox	_	✓	✓	_	_
Sparrow, Lincoln's		✓	✓		
Sparrow, Savannah		✓		√	
Sparrow, seaside		√		✓	
Sparrow, sharp-tailed		V		√	
Sparrow, song	✓	√	✓	✓	✓
Sparrow, swamp	_	√	_	√	✓
Sparrow, vesper	_	√	_		_
Sparrow, white-crowned		√		√	
Sparrow, white-throated	√	√	_	✓	√



Towhee, eastern		√		✓	✓
Icterids					
Blackbird, red-winged	✓	✓		√	
Blackbird, rusty		✓	_	_	_
Blackbird, yellow-headed		✓	_	_	_
Bobolink		✓			
Cowbird, brown-headed		✓	_	✓	
Eastern meadowlark		✓		✓	
Grackle, common	✓	✓	✓	✓	_
Grackle, boat-tailed		_	_	√	_
Oriole, Baltimore	_	√	✓	✓	_
Oriole, orchard		_	✓	_	
Finches and Old World Sparrows					
Common redpoll		✓	_	_	_
Finch, house	✓	✓		✓	
Finch, purple		✓	_	✓	
Goldfinch, American	✓	✓	✓	✓	✓
Siskin, pine		✓		✓	
Sparrow, house	✓	√		√	
Total Number of Species	49	248	81	213	59

Notes:

- 1. ✓ indicates species was observed during any of the following surveys: Tierra (2004), Ludwig et al. (2010), Kerlinger (2004), Bernick (2007), Bernick and Craig (2008), Mizrahi et al. (2006).
- 2. The Passaic River Bird Survey was conducted on the lower six miles of the river.
- 3. The residency column differentiates between known resident species (R), putative resident species (P), migratory species (M), transient species (T), or unknown residency (U) in the Newark Bay Study Area. Species known, or suspected to, breed in the Newark Bay Study Area are in bold italics.

Sources:

Bernick, A.J. 2007. NYC Audubon's Harbor Herons Project: 2007 Nesting Survey. NYC Audubon, New York. 4 Bernick, A.J. and E. Craig. 2008. NYC Audubon's Harbor Herons Project: 2008 Interim Nesting Survey. NYC Audubon, New York. 42 pp.

Kerlinger, P. 2004. NYC Audubon's Harbor Herons Project: 2004 Nesting Survey. NYC Audubon, New York. 3 Ludwig, D.F., J. lannuzzi, T.J. lannuzzi, and J.K. Shisler. 2010. Spatial and temporal habitat use patterns by wat in an urban estuarine ecosystem: Implications for ecosystem management and restoration. Human Ecol Risk Assess 16(1):163-184.

Mizrahi, D.S., N. Tsipoura, and K. Witkowski. 2007. *Avian Abundance and Distribution in the New Jersey Meac District: The Importance of Habitat, Landscape, and Disturbance*. New Jersey Audubon Society. A Final Report Submitted to New Jersey Meadowlands Commission. November 28.

Tierra. 2004. Newark Bay Study Area RIWP. Sediment Sampling and Source Identification Program. Volume 1 Inventory Report. Revision 0. Tierra Solutions, Inc., East Brunswick, New Jersey. June.

∤8 pp.

0 pp. er birds

lowlands

of 3.

[Date] [File]